

General Arrangement  
S.S. "Agwasun"

Phel Rpho 3869

3  
F  
E  
A  
H  
W


## ALTERATIONS

NO.	DATE	DESCRIPTION	APPROVED
1	11-6-19	Wells at Port end of Porter Town 3' oil well at Port Casing Hold added	1/14/20
2	11-14-19	ADDED Y.P. DECKING ON PORT DECK & CASING TOP AS SHOWN	1/14/20
3	11-29-19	3' Y.P. DECKING CHANGED TO 2' 6"	1/14/20
3	11-29-19	Bridge + Boat Deck Quarters	1/14/20
"	"	Upper Deck Quarters	1/14/20
"	"	Wells + Davits Boat DK + Casing Top	1/14/20
"	"	Scuttles Upper Deck	1/14/20


## GENERAL DIMENSIONS.

LENGTH B. P.  
BEAM MOULDED  
DEPTH TO UPPER DECK AT SIDE


430'-0"  
59'-0"  
35'-3"



## MATERIAL



## CHARGE

*S.S. AGWISUN*


FOR CONTRACT Nos. 26

## PLAN PRINTS


PRINT NO.	DEPT.	NO. OF PCS.	PRINT NO.	DEPT.	NO. OF PCS.	PRINT NO.	DEPT.	NO. OF PCS.	PRINT NO.	DEPT.	NO. OF PCS.
1-2	Male	2	16-27	Male	4	60	78	1	12-24	Cargo Hold	1
3-2	Male	2	16-27	Male	6	78	78	1	11-14-20		
4-1	Male	2	16-27	Male	2	16	1				
5-1	Male	1	16-27	Male	1	16	1				
6-1	Male	1	16-27	Male	1	16	1				
7-1	Male	1	16-27	Male	1	16	1				
8-1	Male	1	16-27	Male	1	16	1				
9-1	Male	1	16-27	Male	1	16	1				
10-1	Male	1	16-27	Male	1	16	1				
11-1	Male	1	16-27	Male	1	16	1				
12-1	Male	1	16-27	Male	1	16	1				
13-1	Male	1	16-27	Male	1	16	1				
14-1	Male	1	16-27	Male	1	16	1				
15-1	Male	1	16-27	Male	1	16	1				
16-1	Male	1	16-27	Male	1	16	1				
17-1	Male	1	16-27	Male	1	16	1				
18-1	Male	1	16-27	Male	1	16	1				
19-1	Male	1	16-27	Male	1	16	1				
20-1	Male	1	16-27	Male	1	16	1				
21-1	Male	1	16-27	Male	1	16	1				
22-1	Male	1	16-27	Male	1	16	1				
23-1	Male	1	16-27	Male	1	16	1				
24-1	Male	1	16-27	Male	1	16	1				
25-1	Male	1	16-27	Male	1	16	1				
26-1	Male	1	16-27	Male	1	16	1				
27-1	Male	1	16-27	Male	1	16	1				
28-1	Male	1	16-27	Male	1	16	1				
29-1	Male	1	16-27	Male	1	16	1				
30-1	Male	1	16-27	Male	1	16	1				
31-1	Male	1	16-27	Male	1	16	1				
32-1	Male	1	16-27	Male	1	16	1				
33-1	Male	1	16-27	Male	1	16	1				
34-1	Male	1	16-27	Male	1	16	1				
35-1	Male	1	16-27	Male	1	16	1				
36-1	Male	1	16-27	Male	1	16	1				
37-1	Male	1	16-27	Male	1	16	1				
38-1	Male	1	16-27	Male	1	16	1				
39-1	Male	1	16-27	Male	1	16	1				
40-1	Male	1	16-27	Male	1	16	1				
41-1	Male	1	16-27	Male	1	16	1				
42-1	Male	1	16-27	Male	1	16	1				
43-1	Male	1	16-27	Male	1	16	1				
44-1	Male	1	16-27	Male	1	16	1				
45-1	Male	1	16-27	Male	1	16	1				
46-1	Male	1	16-27	Male	1	16	1				
47-1	Male	1	16-27	Male	1	16	1				
48-1	Male	1	16-27	Male	1	16	1				
49-1	Male	1	16-27	Male	1	16	1				
50-1	Male	1	16-27	Male	1	16	1				
51-1	Male	1	16-27	Male	1	16	1				
52-1	Male	1	16-27	Male	1	16	1				
53-1	Male	1	16-27	Male	1	16	1				
54-1	Male	1	16-27	Male	1	16	1				
55-1	Male	1	16-27	Male	1	16	1				
56-1	Male	1	16-27	Male	1	16	1				
57-1	Male	1	16-27	Male	1	16	1				
58-1	Male	1	16-27	Male	1	16	1				
59-1	Male	1	16-27	Male	1	16	1				
60-1	Male	1	16-27	Male	1	16	1				
61-1	Male	1	16-27	Male	1	16	1				
62-1	Male	1	16-27	Male	1	16	1				
63-1	Male	1	16-27	Male	1	16	1				
64-1	Male	1	16-27	Male	1	16	1				
65-1	Male	1	16-27	Male	1	16	1				
66-1	Male	1	16-27	Male	1	16	1				
67-1	Male	1	16-27	Male	1	16	1				
68-1	Male	1	16-27	Male	1	16	1				
69-1	Male	1	16-27	Male	1	16	1				
70-1	Male	1	16-27	Male	1	16	1				
71-1	Male	1	16-27	Male	1	16	1				
72-1	Male	1	16-27	Male	1	16	1				
73-1	Male	1	16-27	Male	1	16	1				
74-1	Male	1	16-27	Male	1	16	1				
75-1	Male	1	16-27	Male	1	16	1				
76-1	Male	1	16-27	Male	1	16	1				
77-1	Male	1	16-27	Male	1	16	1				
78-1	Male	1	16-27	Male	1	16	1				

Gull gem  
Midship Section  
S. S. Agawam


Phl Rpt No 3869



DETAIL OF NOTCH FOR CHANNELS.




TYPICAL DETAIL OF O.T. BHD.



DETAIL OF OUTBD VERT STIFF.



DETAIL OF VERT. STIFF AT EXP TRUNK BHD.



DETAIL OF COFFERDAM BHD.

NOTE-THREE DIAPHRAGMS EACH SIDE.

PLAN RETRACED ON  
ACCOUNT OF BAD CONDITION  
OF ORIGINAL.

© 2020  
APPROVED BY DR. I-7008-A

CHESTER PA

W1649-204

Lloyd's Register Foundation

~DET NORSKE VERITAS~
LENGTH ON LOAD LINE
430' 0"
BREADTH
59' 0"
DEPTH TO UPPER DK.
33' 3"
HALF GRTH
60' 5 1/2"
LENGTH TO DEPTH 56
12.94
TRANS. NO. L <sup>1/2</sup> B+D <sup>1/2</sup> G
LONGT. NO. L <sup>1/2</sup> (B+D <sup>1/2</sup> G)
52084.60
TORSIDE NO. L <sup>1/2</sup> (B+D <sup>1/2</sup> G)(TOD)
88500.25
EQUIPMENT NO.
56489.

~LLOYDS REGISTER OF SHIPPING~

EQUIPMENT NO 41339
2-BOWER ANCHORS STOCKLESS 8100 LBS.
1-STREAM .
1-KEPGE .
300 FATHOMS 2" STUD CHAIN CABLE.
120 . 5" CIRC. STEEL WIRE HAWSER.
130 . 4 1/2" TOWLINE
400 . 8" MANILA HAWSER SWARPS
Rudder Stock 11/2"dia.
PLATE 11/2"
POST 9 1/2"
Propeller Post 10 1/2"
STEM 10 1/2" x 2 1/2"
TOTAL Rudder Area ABAFT 6' of PINTLES-179.5 CS 400
A-2-TG.
SPEED OF VESSEL IN KNOTS = 10.5
PLAN TO BE SUBMITTED.

RUDDER STOCK 11/2"dia.

PLATE 11/2"

POST 9 1/2"

Propeller Post 10 1/2"

STEM 10 1/2" x 2 1/2"

TOTAL Rudder Area ABAFT 6' of PINTLES-179.5 CS 400

A-2-TG.

SPEED OF VESSEL IN KNOTS = 10.5

PLAN TO BE SUBMITTED.

RUDDER STOCK 11/2"dia.

PLATE 11/2"

POST 9 1/2"

Propeller Post 10 1/2"

STEM 10 1/2" x 2 1/2"

TOTAL Rudder Area ABAFT 6' of PINTLES-179.5 CS 400

A-2-TG.

SPEED OF VESSEL IN KNOTS = 10.5

PLAN TO BE SUBMITTED.

RUDDER STOCK 11/2"dia.

PLATE 11/2"

POST 9 1/2"

Propeller Post 10 1/2"

STEM 10 1/2" x 2 1/2"

TOTAL Rudder Area ABAFT 6' of PINTLES-179.5 CS 400

A-2-TG.

SPEED OF VESSEL IN KNOTS = 10.5

PLAN TO BE SUBMITTED.

RUDDER STOCK 11/2"dia.

PLATE 11/2"

POST 9 1/2"

Propeller Post 10 1/2"

STEM 10 1/2" x 2 1/2"

TOTAL Rudder Area ABAFT 6' of PINTLES-179.5 CS 400

A-2-TG.

SPEED OF VESSEL IN KNOTS = 10.5

PLAN TO BE SUBMITTED.

RUDDER STOCK 11/2"dia.

PLATE 11/2"

POST 9 1/2"

Propeller Post 10 1/2"

STEM 10 1/2" x 2 1/2"

TOTAL Rudder Area ABAFT 6' of PINTLES-179.5 CS 400

A-2-TG.

SPEED OF VESSEL IN KNOTS = 10.5

PLAN TO BE SUBMITTED.

RUDDER STOCK 11/2"dia.

PLATE 11/2"

POST 9 1/2"

Propeller Post 10 1/2"

STEM 10 1/2" x 2 1/2"

TOTAL Rudder Area ABAFT 6' of PINTLES-179.5 CS 400

A-2-TG.

SPEED OF VESSEL IN KNOTS = 10.5

PLAN TO BE SUBMITTED.

RUDDER STOCK 11/2"dia.

PLATE 11/2"

POST 9 1/2"

Propeller Post 10 1/2"

STEM 10 1/2" x 2 1/2"

TOTAL Rudder Area ABAFT 6' of PINTLES-179.5 CS 400

A-2-TG.

SPEED OF VESSEL IN KNOTS = 10.5

PLAN TO BE SUBMITTED.

RUDDER STOCK 11/2"dia.

PLATE 11/2"

POST 9 1/2"

Propeller Post 10 1/2"

STEM 10 1/2" x 2 1/2"

TOTAL Rudder Area ABAFT 6' of PINTLES-179.5 CS 400

A-2-TG.

SPEED OF VESSEL IN KNOTS = 10.5

PLAN TO BE SUBMITTED.

RUDDER STOCK 11/2"dia.

PLATE 11/2"

POST 9 1/2"

Propeller Post 10 1/2"

STEM 10 1/2" x 2 1/2"

TOTAL Rudder Area ABAFT 6' of PINTLES-179.5 CS 400

A-2-TG.

SPEED OF VESSEL IN KNOTS = 10.5

PLAN TO BE SUBMITTED.

RUDDER STOCK 11/2"dia.

PLATE 11/2"

POST 9 1/2"

Propeller Post 10 1/2"

STEM 10 1/2" x 2 1/2"

TOTAL Rudder Area ABAFT 6' of PINTLES-179.5 CS 400

A-2-TG.

SPEED OF VESSEL IN KNOTS = 10.5

PLAN TO BE SUBMITTED.

RUDDER STOCK 11/2"dia.

PLATE 11/2"

POST 9 1/2"

Propeller Post 10 1/2"

STEM 10 1/2" x 2 1/2"

TOTAL Rudder Area ABAFT 6' of PINTLES-179.5 CS 400

A-2-TG.

SPEED OF VESSEL IN KNOTS = 10.5

PLAN TO BE SUBMITTED.

RUDDER STOCK 11/2"dia.

PLATE 11/2"

POST 9 1/2"

Propeller Post 10 1/2"

STEM 10 1/2" x 2 1/2"

TOTAL Rudder Area ABAFT 6' of PINTLES-179.5 CS 400

A-2-TG.

SPEED OF VESSEL IN KNOTS = 10.5

PLAN TO BE SUBMITTED.

RUDDER STOCK 11/2"dia.

PLATE 11/2"

POST 9 1/2"

Propeller Post 10 1/2"

STEM 10 1/2" x 2 1/2"

TOTAL Rudder Area ABAFT 6' of PINTLES-179.5 CS 400

A-2-TG.

